## CLAIMS

1. Use of the compound of formula (I)

wherein:

20

25

R represents methoxymethyl,

R1 represents methyl,

R2 represents methyl,

Y represents the group

and the pharmaceutically acceptable acid addition salts thereof; 30

for the manufacture of a medicament for the topical treatment or prevention of acne.

- Use according to claim 1 wherein the compound of formula (I) or a pharmaceutically acceptable acid addition salt thereof is associated with other components which have auxiliary action in the treatment of acne or provide skin benefits.
  - 3. Use according to any of claims 1 and 2 wherein the compound of formula (I) or a pharmaceutically acceptable acid addition salt thereof is incorporated into a pharmaceutical composition suitable for topical administration in an amount ranging from about 0.1 to 10 per cent by weight of said pharmaceutical composition.
  - Use as in any of claims 1 to 3 wherein the pharmaceutically acceptable acid addition salts is a salts with hydrochloric ac or lactic acid.
  - A medicament for use in the topical treatment or prevention of acne which comprises a compound of formula

20

25

30

35

wherein:

5

R represents methoxymethyl,

R1 represents methyl,

R2 represents methyl,

Y represents the group

and the pharmaceutically acceptable acid addition salts thereof.  $% \begin{center} \begin{cente$ 

- 6. A medicament as in claim 5 wherein the compound of formula (I) or a pharmaceutically acceptable acid addition salt thereof is associated with other components which have auxiliary action in the treatment of acne or provide skin benefits.
- 7. A medicament as in any of claims 5 and 6 wherein the compound of formula (I) or a pharmaceutically acceptable acid addition salt thereof is admixed with pharmaceutically acceptable excipients.
  - 8. A medicament as in any of claims 5 to 7 wherein the compound of formula (I) or a pharmaceutically acceptable acid addition salt thereof is contained in an amount which ranges from 0.1 to 10 per cent by weight of the said medicament.
- 9. A medicament according to any of claims 5 to 7 which is in the form of a cream, lotion, mousse, spray, emulsion 25 or gel.
  - 10. A method for treating or preventing acne which comprises topically administering a compound of formula (I)

10

15

20

wherein:

R represents methoxymethyl,

R<sub>1</sub> represents methyl,

R2 represents methyl,

Y represents the group

25

30

or a pharmaceutically acceptable acid addition salt thereof to a patient affected by or exposed to said skin disorder, in an amount sufficient to provide inhibitory activity or proliferation of <a href="Propionibacterium">Propionibacterium</a> acne.

11. A method according to claim 10 wherein the compound of formula (I) or a pharmaceutically acceptable acid addition salt thereof is associated with other components

which have auxiliary action in the treatment of acne or provide skin benefits.

- 12. Use as in any of claims 1 to 4 wherein the inhibitory activity of the compound of formula (I) or the pharmaceutically acid addition salt thereof is selective towards Propionibacterium acne.
- 13. A medicament as in any of claims 5 to 9 wherein the inhibitory activity of the compound of formula (I) or the pharmaceutically acceptable acid addition salt thereof is selective towards Propionibacterium acne.
  - 14. A method according to any of claims 10 and 11 wherein the inhibitory activity of the compound of formula (I) or the pharmaceutically acceptable acid addition salt thereof is selective towards <a href="Propionibacterium">Propionibacterium</a> <a href="mailto:acne.">acne</a>.
- 15 15. Use of a compound according to claim 1 for the manufacture of a medicament for the topical treatment or prevention of acne characterized in that said medicament is selective towards Propionibacterium acne.